

Discipline




FIG. 2A

(continued)




Fig. 2B

Stream Flow Option B




Fig. 2D

22-300

1




Fig. 3

→ 310.



327

330

Setup Broadcasting Session

349




FIG. 3B

Activate Broadcast




FIG. 3C

Terminate Broadcast




FIG. 3D




FIG. 4A

Client Mobile Device Capability:

DeviceType	Processor	OS	Player	Display	Bandwidth
PDA	16bit	PalmOS	Browser (no javascript) (no audio)	160x120	14kbps

Map to internal structure:

StreamFormat	Resolution	ColorDepth	FrameRate	ProtocolType
MotionGIF	160x120	2bit	1fps	TCP

Mapping:

Resolution = Display

Player	ProtocolType
LuxPlayer	RTP
Others	TCP

DeviceType	ColorDepth
CellPhone	1bit
PDA	2bit
WinCE	4bit
PC	24bits

QoS Bandwidth	FrameRate
14.4kbps	1fps
28.8kbps	2fps
33.6kbps	4fps
128kbps	8fps
324kbps	15fps
> 324kbps	30fps

Player	ColorDepth	Processor	StreamFormat
Browser	1bit, 2bits	ANY	MotionGIF
Browser	> 2bits	ANY	MotionJPEG
ANY	1bit, 2bits	<266MHz	MotionGIF
ANY	> 2bits	<266MHz	MotionJPEG
Otherwise			MPEG/MP3 audio

FIG. 6

FIG. 5




FIG. 7




FIG. 8

